


# DEFENDER BOLLARD

DB90/FSI



## 90mmØ Flexible Steel In-Ground Bollard

Code	Installed Height	Diameter	Wall Th.	Flex. Length	In Ground Depth
DB90/FSI	940mm	90mm	4mm	To Ground	300mm

- Designed to minimise cost of replacements
- Flexible down to the ground
- Highly visible, safety yellow powdercoat finish as standard
- Will absorb repeated collisions of slow vehicles
- Custom sizes/colours made to order
- Recommended core cutting size 110mm minimum


1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth

# DEFENDER BOLLARD

DB114SZ/FSI



## 114mmØ Flexible Shared Zone In-Ground Bollard

Code	Installed Height	Diameter	Wall Th.	Flex. Length	In Ground Depth
DB114/FSI	1300mm	114mm	4mm	To Ground	300mm

- Designed to minimise cost of replacements
- Manufactured taller than our regular bollards for shared zones
- Flexible down to the ground
- Highly visible, safety yellow powdercoat finish as standard
- Will absorb repeated collisions of slow vehicles
- Custom sizes/colours made to order
- Recommended core cutting size 140mm minimum


1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth

# DEFENDER BOLLARD

DB140/FSI



## 140mmØ Flexible Steel In-Ground Bollard

Code	Installed Height	Diameter	Wall Th.	Flex. Length	In Ground Depth
DB140/FSI	1100mm	140mm	5mm	To Ground	400mm

- Designed to minimise cost of replacements
- Flexible down to the ground
- Highly visible, safety yellow powdercoat finish as standard
- Will absorb repeated collisions of slow vehicles
- Custom sizes/colours made to order
- Recommended core cutting size 180mm minimum

1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth